



Underwriters Laboratories Inc.®

Northbrook, Illinois • (708) 272-8800
Melville, New York • (516) 271-6200
Santa Clara, California • (408) 985-2400
Research Triangle Park,
North Carolina • (919) 549-1400

CERTIFICATE OF COMPLIANCE

CERTIFICATE NUMBER: 280695 - R14014A
ISSUE DATE: June 28, 1995

Issued to: International Protective Coatings Corp.
725 Carol Avenue
Ocean, NJ 07712 USA

Report Reference: R14014, September 13, 1990/ Sec. 1

This is to Certify that
representative samples of:

Encapsulant Materials identified as Serpimastic
for use with Classified Sprayed Fiber or with
Classified Cementitious Mixtures.

Have been investigated by Underwriters Laboratories Inc. in accordance with the Standard(s)
indicated on this Certificate.

Standard(s) for Safety: ASTM P189, Specification for Encapsulant for
Friable Asbestos-Containing Building
Materials

Additional Information:

*This factory blended, "Bridging" encapsulant material is for use with
Classified Sprayed Fiber at an application rate of not less than
25 sq ft/gal or Classified Cementitious Mixtures at an application rate
of not less than 30 sq ft/gal.
The ability of this material to act as a sealant has not been investigated.*

**Only those products bearing the UL Classification Marking should be considered as being
covered by UL's Classification and Follow-Up Service.**

The UL Classification Marking includes: the name "Underwriters Laboratories Inc."; the word "Classified"; a control
number (may be alphanumeric) assigned by UL; a statement to indicate the extent of UL's evaluation of the product;
and, the product category name (product identity) as indicated in the appropriate UL Directory.

LOOK FOR THE UL CLASSIFICATION MARKING ON THE PRODUCT

Engineer: *Helena J. Wolf*
Underwriters Laboratories Inc.

Review Engineer: *Jolanta L. Wisla*
Underwriters Laboratories Inc.